

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"10692225".pn. or "10775282".pn. or "10776371".pn.	US-PGPUB; USPAT	OR	OFF	2005/06/16 17:11
S2	1	"20040220946".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 12:32
S3	1	"20030188016".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 12:33
S4	1	"6865646".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 12:35
S5	1	"20020165727".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 12:41
S6	1	"20020032691".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 12:45
S7	1	"5687343".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 12:45
S8	1	S7 and (database adj2 accessed) with contiguous	US-PGPUB; USPAT	OR	OFF	2005/05/16 12:52
S9	3	"2003077113".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/16 12:57
S10	3	"6615219".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/16 12:57
S11	1	"6615219".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 12:58
S12	1	"6609130".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 13:03
S13	2	"1030253".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/16 13:07
S14	1	"10023038".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2005/05/16 13:10
S15	1	"5860138".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 13:12
S16	1	"5634123".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 13:14
S17	1	"4873671".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/16 13:15
S18	1	"326885".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/16 13:25
S19	2	"9934291".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/16 13:32

S20	0	"600256".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 13:33
S21	1	"20040261008".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 13:37
S22	1	"6477701".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 13:40
S23	1	"6609130".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 13:41
S24	1	"6484247".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 13:45
S25	0	"2003733390".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/16 13:45
S26	0	"2003733390".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/16 13:46
S27	1	"0373390".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/16 13:46
S28	3	"2003073390".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/16 13:47
S29	0	iterative adj serialisation	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/16 13:48
S30	0	iterative near1 serialisation	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/16 13:50
S31	1	iterative near1 serialisation	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/05/16 13:52
S32	2	"6226728".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/05/16 13:52
S33	2	"6226728".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/16 13:53
S34	1	"6226728".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 13:58
S35	1	"4873671".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 13:59
S36	1	"5363097".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/16 13:59
S37	1	"20020143521".pn.	US-PGPUB; USPAT	OR	OFF	2005/06/16 17:35

S38	1	"5056003".pn.	US-PGPUB; USPAT	OR	OFF	2005/06/16 17:16
S39	1	"20050091255".pn.	US-PGPUB; USPAT	OR	OFF	2005/06/16 17:35
S40	1	"20020143521".pn.	US-PGPUB; USPAT	OR	OFF	2005/06/16 17:35
S41	1	S39 and "602"	US-PGPUB; USPAT	OR	OFF	2005/06/16 17:38
S42	1	S39 and (data adj type\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/16 17:40
S43	1	S39 and ((data adj type\$1) with (store\$1 or storing))	US-PGPUB; USPAT	OR	OFF	2005/06/16 17:44
S44	0	S39 and (type near2 byte\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/16 17:44
S45	0	S38 and (type near2 byte\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/16 17:47
S46	0	S38 and (data adj type)	US-PGPUB; USPAT	OR	OFF	2005/06/16 17:47
S47	0	S38 and (serializ\$5)	US-PGPUB; USPAT	OR	OFF	2005/06/16 17:49
S48	848	type adj byte\$1	US-PGPUB; USPAT	OR	OFF	2005/06/16 17:52
S49	85	S48 and serializ\$5	US-PGPUB; USPAT	OR	OFF	2005/06/16 17:51
S50	0	S49 and ((type adj byte\$1) near4 (locat\$2))	US-PGPUB; USPAT	OR	OFF	2005/06/16 17:53
S51	0	S49 and ((type adj byte\$1) near5 (locat\$2))	US-PGPUB; USPAT	OR	OFF	2005/06/16 17:53
S52	5	S48 and ((type adj byte\$1) near5 (locat\$2))	US-PGPUB; USPAT	OR	OFF	2005/06/16 17:53
S53	1	"5634123".pn.	US-PGPUB; USPAT	OR	OFF	2005/06/20 16:13
S54	1	S53 and location\$1	US-PGPUB; USPAT	OR	OFF	2005/06/20 16:46
S55	0	S53 and primitive	US-PGPUB; USPAT	OR	OFF	2005/06/20 16:46
S56	0	S53 and lob	US-PGPUB; USPAT	OR	OFF	2005/06/20 16:46
S57	447349	S53 and file stream	US-PGPUB; USPAT	OR	OFF	2005/06/20 16:47
S58	0	S53 and ("file stream")	US-PGPUB; USPAT	OR	OFF	2005/06/20 16:47
S59	1	S53 and (type)	US-PGPUB; USPAT	OR	OFF	2005/06/20 17:15
S60	0	S53 and (start near2 byte\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/20 17:16

S61	0	S53 and (start\$3 near2 byte\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/20 17:16
S62	1	S53 and (start\$3 near2 record\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/20 17:18
S63	1	S53 and (start\$3 near2 location\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/20 17:28
S64	1	S53 and (collection)	US-PGPUB; USPAT	OR	OFF	2005/06/20 17:22
S65	1	S53 and (beginning)	US-PGPUB; USPAT	OR	OFF	2005/06/20 17:28
S66	1	S53 and (beginning same record\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/20 17:32
S67	1	S53 and (beginning same location\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/20 17:35
S68	1	S53 and (end\$3 or terminat\$5)	US-PGPUB; USPAT	OR	OFF	2005/06/20 17:39
S69	1514630	(bottom or last or lowest or end\$3 or terminat\$3) and (begin\$4 or start\$3)	US-PGPUB; USPAT	OR	OFF	2005/06/20 17:44
S70	20927	S69 and ((bottom or last or lowest or end\$3 or terminat\$3) with byte\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/20 17:53
S71	35	S69 and (((bottom or last or lowest or end\$3 or terminat\$3) with byte\$1) with collection)	US-PGPUB; USPAT	OR	OFF	2005/06/20 17:55
S72	35	S70 and (((bottom or last or lowest or end\$3 or terminat\$3) with byte\$1) with collection)	US-PGPUB; USPAT	OR	OFF	2005/06/20 17:47
S73	1	S72 and serializ\$5	US-PGPUB; USPAT	OR	OFF	2005/06/20 18:30
S74	5713	S69 and ((bottom or last or lowest or end\$3 or terminat\$3) adj byte\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/20 18:11
S75	8	S74 and (((bottom or last or lowest or end\$3 or terminat\$3) with byte\$1) with collection)	US-PGPUB; USPAT	OR	OFF	2005/06/20 18:28
S76	0	collection\$1 adj start\$3 adj byte\$1	US-PGPUB; USPAT	OR	OFF	2005/06/20 18:05
S77	1	"20050091255".pn.	US-PGPUB; USPAT	OR	OFF	2005/06/20 18:10
S78	0	S77 and ((bottom or last or lowest or end\$3 or terminat\$3) adj byte\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/20 18:11
S79	0	S77 and ((bottom or last or lowest or end\$3 or terminat\$3) adj fragment\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/20 18:11

S80	1657	S74 and ((end\$3 or terminat\$3) adj byte\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/20 18:34
S81	290	S80 and serializ\$5	US-PGPUB; USPAT	OR	OFF	2005/06/20 18:35
S82	233	S81 and (collection\$1 or nested or complex)	US-PGPUB; USPAT	OR	OFF	2005/06/20 18:31
S83	5	S82 and "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/06/20 18:36
S84	1657	S74 and ((end\$3 adj byte\$1) or (terminat\$3 adj byte\$1))	US-PGPUB; USPAT	OR	OFF	2005/06/20 18:35
S85	1704	((end\$3 adj byte\$1) or (terminat\$3 adj byte\$1))	US-PGPUB; USPAT	OR	OFF	2005/06/20 18:35
S86	291	S85 and serializ\$5	US-PGPUB; USPAT	OR	OFF	2005/06/20 18:35
S87	113	S85 and "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/06/20 18:36
S88	113	S85 and "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/06/20 18:37
S89	6	S86 and "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/06/20 18:37
S90	0	"5568639".pn. and (suffix with provid\$3)	US-PGPUB; USPAT	OR	OFF	2005/06/20 19:18
S91	1	"5568639".pn.	US-PGPUB; USPAT	OR	OFF	2005/06/20 19:40
S92	1	"5634123".pn.	US-PGPUB; USPAT	OR	OFF	2005/06/20 19:23
S93	1	S92 and second	US-PGPUB; USPAT	OR	OFF	2005/06/20 19:27
S94	0	S92 and (next adj record)	US-PGPUB; USPAT	OR	OFF	2005/06/20 19:27
S95	0	S92 and (next adj container)	US-PGPUB; USPAT	OR	OFF	2005/06/20 19:28
S96	1	S92 and (point\$2 near2 second)	US-PGPUB; USPAT	OR	OFF	2005/06/20 19:29
S97	0	S92 and (point\$2 near2 next)	US-PGPUB; USPAT	OR	OFF	2005/06/20 19:29
S98	1722397	S91 and next objects	US-PGPUB; USPAT	OR	OFF	2005/06/20 19:40
S99	1	S91 and (next adj objects)	US-PGPUB; USPAT	OR	OFF	2005/06/20 20:05
S100	0	S91 and ((binary adj tree\$1) or (btree\$1 or b?tree\$1))	US-PGPUB; USPAT	OR	OFF	2005/06/20 20:08
S101	0	S92 and ((binary adj tree\$1) or (btree\$1 or b?tree\$1))	US-PGPUB; USPAT	OR	OFF	2005/06/20 20:08

S10 2	27	(US-20020032691-\$ or US-20020143521-\$ or US-20020165727-\$ or US-20030188016-\$ or US-20040220946-\$ or US-20040261008-\$ or US-20050091255-\$).did. or (US-4873671-\$ or US-5056003-\$ or US-5363097-\$ or US-5546575-\$ or US-5634123-\$ or US-5687343-\$ or US-5860138-\$ or US-6226728-\$ or US-6477701-\$ or US-6484247-\$ or US-6609130-\$ or US-6615219-\$ or US-6865646-\$ or US-4943963-\$ or US-5568639-\$).did. or (EP-1030253-\$ or WO-3073390-\$). did. or (JP-10023038-\$).did. or (EP-1040419-\$ or WO-2003077113-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 20:08
S10 3	2	S102 and ((binary adj tree\$1) or (btree\$1 or b?tree\$1))	US-PGPUB; USPAT	OR	OFF	2005/06/20 20:08
S10 4	0	S92 and (readable adj medium)	US-PGPUB; USPAT	OR	OFF	2005/06/20 21:17
S10 5	1	S92 and (computer)	US-PGPUB; USPAT	OR	OFF	2005/06/20 21:19
S10 6	0	S92 and (signal)	US-PGPUB; USPAT	OR	OFF	2005/06/20 21:19
S10 7	1	S92 and (electronic)	US-PGPUB; USPAT	OR	OFF	2005/06/20 21:20
S10 8	0	S92 and (program adj code\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/20 21:20
S10 9	1	S92 and (instruction\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/20 21:20
S11 0	1	"20050091228".pn.	US-PGPUB; USPAT	OR	OFF	2005/06/23 10:24
S11 1	1	"5634123".pn.	US-PGPUB; USPAT	OR	OFF	2005/12/15 12:51
S11 2	0	S111 and payload	US-PGPUB; USPAT	OR	OFF	2005/12/15 12:51
S11 3	0	S111 and header	US-PGPUB; USPAT	OR	OFF	2005/12/15 12:51
S11 4	0	S111 and header\$1	US-PGPUB; USPAT	OR	OFF	2005/12/15 12:51
S11 5	0	S111 and payload\$1	US-PGPUB; USPAT	OR	OFF	2005/12/15 12:52
S11 6	1	S111 and type\$1	US-PGPUB; USPAT	OR	OFF	2005/12/15 13:17
S11 7	1	S111 and (code adj point\$1)	US-PGPUB; USPAT	OR	OFF	2005/12/15 14:07

S118	0	S111 and (primitive)	US-PGPUB; USPAT	OR	OFF	2005/12/15 14:07
S119	0	S111 and (basic)	US-PGPUB; USPAT	OR	OFF	2005/12/15 14:07
S120	0	S111 and (simple)	US-PGPUB; USPAT	OR	OFF	2005/12/15 14:09
S121	1	S111 and (data adj containing)	US-PGPUB; USPAT	OR	OFF	2005/12/15 14:52
S122	1	S111 and (company adj record)	US-PGPUB; USPAT	OR	OFF	2005/12/15 14:52
S123	1	"5634123".pn.	US-PGPUB; USPAT	OR	OFF	2005/12/19 15:30
S124	1	S123 and start\$3	US-PGPUB; USPAT	OR	OFF	2005/12/19 13:45
S125	0	S123 and header\$1	US-PGPUB; USPAT	OR	OFF	2005/12/19 13:45
S126	1	S123 and (code adj point\$1)	US-PGPUB; USPAT	OR	OFF	2005/12/19 13:47
S127	1	"L2" and ((code adj point\$1) with start\$3)	US-PGPUB; USPAT	OR	OFF	2005/12/19 15:30
S128	1	"5634123".pn.	US-PGPUB; USPAT	OR	OFF	2005/12/19 15:30
S129	1	"L2" and ((code adj point\$1) with start\$3)	US-PGPUB; USPAT	OR	OFF	2005/12/19 15:31
S130	0	S128 and ((code adj point\$1) with start\$3)	US-PGPUB; USPAT	OR	OFF	2005/12/19 15:32
S131	1	S128 and ((code adj point\$1) with begin\$4\$3)	US-PGPUB; USPAT	OR	OFF	2005/12/19 16:01
S132	1	S128 and (format)	US-PGPUB; USPAT	OR	OFF	2005/12/19 16:20
S133	1	S128 and (order\$3)	US-PGPUB; USPAT	OR	OFF	2005/12/19 16:21
S134	1	S128 and (free)	US-PGPUB; USPAT	OR	OFF	2005/12/19 16:21
S135	1	S128 and (final adj bit)	US-PGPUB; USPAT	OR	OFF	2005/12/19 17:25
S136	0	S128 and (((large adj object\$1) or lob))	US-PGPUB; USPAT	OR	OFF	2005/12/19 17:25
S137	1	"5568639".pn.	US-PGPUB; USPAT	OR	OFF	2005/12/19 17:29
S138	0	S137 and (((large adj object\$1) or lob))	US-PGPUB; USPAT	OR	OFF	2005/12/19 17:29
S139	1	"20020143521".pn.	US-PGPUB; USPAT	OR	OFF	2005/12/19 17:29
S140	0	S139 and (((large adj object\$1) or lob))	US-PGPUB; USPAT	OR	OFF	2005/12/19 17:55

S14 1	0	"2003014308".pn.	US-PGPUB; USPAT	OR	OFF	2005/12/19 17:55
S14 2	1	"20030140308".pn.	US-PGPUB; USPAT	OR	OFF	2005/12/19 17:55
S14 3	1	S142 and (((large adj object\$1) or lob))	US-PGPUB; USPAT	OR	OFF	2005/12/19 18:01
S14 4	0	S142 and (header\$1)	US-PGPUB; USPAT	OR	OFF	2005/12/19 18:01
S14 5	0	S142 and (payload)	US-PGPUB; USPAT	OR	OFF	2005/12/19 18:03
S14 6	1	"20040220946".pn.	US-PGPUB; USPAT	OR	OFF	2005/12/19 18:03
S14 7	1	S146 and (payload)	US-PGPUB; USPAT	OR	OFF	2005/12/19 18:03
S14 8	1	S146 and (payload with lob)	US-PGPUB; USPAT	OR	OFF	2005/12/19 18:38
S14 9	0	S146 and (payload with lob with head\$3)	US-PGPUB; USPAT	OR	OFF	2005/12/19 18:04
S15 0	0	S146 and (length with lob)	US-PGPUB; USPAT	OR	OFF	2005/12/19 18:39
S15 1	1	S146 and (length)	US-PGPUB; USPAT	OR	OFF	2005/12/19 19:00
S15 2	1	S146 and (SNAPSHOT)	US-PGPUB; USPAT	OR	OFF	2005/12/19 19:02
S15 3	1	S146 and (flag with value)	US-PGPUB; USPAT	OR	OFF	2005/12/19 19:04
S15 4	1	S146 and (lob)	US-PGPUB; USPAT	OR	OFF	2005/12/19 19:17
S15 5	9920	(((large adj object\$1) or lob))	US-PGPUB; USPAT	OR	OFF	2005/12/19 19:17
S15 6	7	S155 and (inline with (((large adj object\$1) or lob)))	US-PGPUB; USPAT	OR	OFF	2005/12/19 19:18
S15 7	1	"5634123".pn.	US-PGPUB; USPAT	OR	OFF	2005/12/19 22:34
S15 8	0	S157 and (bit with type)	US-PGPUB; USPAT	OR	OFF	2005/12/19 22:35
S15 9	1	S157 and (bit with indicate)	US-PGPUB; USPAT	OR	OFF	2005/12/19 22:36
S16 0	1	S157 and (bit with containing)	US-PGPUB; USPAT	OR	OFF	2005/12/19 22:36
S16 1	1	"20040220946".pn.	US-PGPUB; USPAT	OR	OFF	2005/12/20 00:51
S16 2	1	S161 and lob	US-PGPUB; USPAT	OR	OFF	2005/12/20 00:55
S16 3	1	S161 and (lob with access\$3)	US-PGPUB; USPAT	OR	OFF	2005/12/20 00:55

S16 4	0	S161 and cell\$1	US-PGPUB; USPAT	OR	OFF	2005/12/20 01:34
S16 5	0	S161 and (lob with location)	US-PGPUB; USPAT	OR	OFF	2005/12/20 01:34
S16 6	0	S161 and (lob with location\$1)	US-PGPUB; USPAT	OR	OFF	2005/12/20 01:34
S16 7	1	S161 and (lob with locat\$3\$1)	US-PGPUB; USPAT	OR	OFF	2005/12/20 01:38
S16 8	1	"6012067".pn.	US-PGPUB; USPAT	OR	OFF	2005/12/20 01:38
S16 9	1	S168 and (lob with locat\$3\$1)	US-PGPUB; USPAT	OR	OFF	2005/12/20 01:41
S17 0	1	S168 and (pointer\$1)	US-PGPUB; USPAT	OR	OFF	2005/12/20 01:53
S17 1	1	"5634123".pn.	US-PGPUB; USPAT	OR	OFF	2005/12/20 01:54
S17 2	0	S171 and terminat\$3	US-PGPUB; USPAT	OR	OFF	2005/12/20 01:54
S17 3	1	S171 and end\$3	US-PGPUB; USPAT	OR	OFF	2005/12/20 01:59
S17 4	0	S171 and last	US-PGPUB; USPAT	OR	OFF	2005/12/20 02:18
S17 5	0	S171 and ("One bit is used")	US-PGPUB; USPAT	OR	OFF	2005/12/20 02:18
S17 6	1	S171 and ("One bit")	US-PGPUB; USPAT	OR	OFF	2005/12/20 02:57
S17 7	1	S171 and (location)	US-PGPUB; USPAT	OR	OFF	2005/12/20 02:57